



Product Features

- wetted metal parts made from dezincification-free and corrosion-resistant gunmetal, resistant against aggressive water
- spindle with O-ring
- EPDM-seat gasket
- gunmetal cone
- press connection for Viega SANPRESS SST pipe and PROFIPRESS copper pipe
- with plugged drain port
- Pt1000 temperature sensor or thermometer can be added using immersion sleeve
- with green handwheel
- free from dead spots

Standards and Approvals

- DVGW approval
- ÖVGW approval
- VA approval
- according to accepted materials list from German environmental agency
- up to DN 32 soundproofing certification according to DIN EN ISO 3822 Class 1
- DIN EN 1213
- ÜA-Reg.-Nr. R-15.2.3-21-17048, WIEN-ZERT

Technical data

- pressure rating PN 16
- max. operating temperature 110 °C

| Part no. | DN | A1 (mm) | A2 | D1 (mm) | H1 (mm) | L1 (mm) | T1 (mm) | Z1 (mm) | Z2 (mm) | Z3 (mm) | Zeta | cv (m ³ /h) | Weight (kg) |
|------------|----|---------|-------|---------|---------|---------|---------|---------|---------|---------|------|------------------------|-------------|
| 1713001500 | 15 | 15 | G 1/4 | 60 | 98 | 129 | 22 | 33 | 52 | 85 | 1.3 | 5.9 | 0.44 |
| 1713001800 | 15 | 18 | G 1/4 | 60 | 98 | 127 | 21 | 33 | 52 | 85 | 1.3 | 5.9 | 0.44 |
| 1713002000 | 20 | 22 | G 1/4 | 60 | 104 | 149 | 24 | 41 | 60 | 101 | 1.6 | 12.5 | 0.63 |
| 1713002500 | 25 | 28 | G 1/4 | 70 | 133 | 172 | 24 | 50.5 | 73.5 | 124 | 1.4 | 21.3 | 1.05 |
| 1713003200 | 32 | 35 | G 1/4 | 70 | 162 | 202 | 25 | 59 | 93 | 152 | 1.1 | 38.7 | 1.63 |
| 1713004000 | 40 | 42 | G 1/4 | 70 | 164 | 232.5 | 36 | 60.5 | 100 | 160.5 | 1.5 | 47.2 | 2.09 |
| 1713005000 | 50 | 54 | G 1/4 | 90 | 212.5 | 273 | 41 | 69 | 122 | 191 | 1.4 | 84.8 | 3.55 |

Accessories

- drain valve made of gunmetal/plastic, figure J7109 173 00
- gunmetal sampling valve, figure 187 00
- insulation shell for inclined stop valves, figure 471 10
- Pt 1000 temperature sensor, figure T5100 140 00
- axial drain valve made of gunmetal, figure J7109 170 00
- dial thermometer, figure T5100 150 00
- extension element for drain valve, figure J6109 473 00
- axial drain valve and immersion sleeve, figure J7109 150 00

Spare parts

- bonnet for ECO stop valve, figure E0101 170 00
- Head part gasket, figure C3100 173 07
- threaded plug , figure J8101 173 00